JUN. 22. 2005					NO.	0560 [:] P. 1
TO:USP : :	10 -	CENTRAL	N O CEI	RECEIVED NTRAL FAX CENTER JUN 2 2 2005	Varian, Inc 3120 Hansi Palo Alto, 6	th Way, M/S D 102 CA 94304-1030 U.S.A
Τφ	Dixoma	ra Vargas, Examine	r	 	Phone: 65	
Company	United	STATES PATENT ANI	TRADE	MARK OFFICE		0.424.3827
Fax number	1.703.87	2.9306			edward.ber www.varia	cowitz@varianinc.com
From	Edward	H. Berkowitz			\$	
Date	June 22,	2005		VARI	AN	
Subject	Filing D	nt Application No. 1 ate: September 9, 20 locket No. 03-05 U	003	!		:
Pag	es (includ	ing this sheet) 11		l		
•				I, Debbie Kus, hereby certify correspondence is being tran Vargas, Examiner at 1.703. Office.	smitted by facsimile to	the Dixomara
				Signature Signature	Kus e	Days Signed
				: ·		
Atta application.	ched is the	response to the Of	fice Act	on mailed March 22,	2005 for the s	ubject patent
				<u> </u> 		• •
•				:		
:				i		
This fax transmi	ission may be c	onfidential and subject to otto	mev-client	stromey work product and/or or	her legal neivilunas 16	Servi are not the
transmission. If	int or the persity ou received the	on responsible for delivery	to the inter please imm	ded recipient, you may nor re ediately notify by telephone the	ad use come or die	tribute this for
	lfy	you have any problems receiv	ing this fax	ransmission, please call (650) 4	24-4814.	
		BEST AV	/AIL/	ABLE COPY	fax	

RECEIVED CENTRAL FAX CENTER JUN. 22. 2005 6:21AM VARIAN, INC. NO. 0560 · P. 2 JUN 2 2 2005 **DOCKET NO.: 03-05 US** IN THE UNITED STATES PATENT AND TRADEMARK OFFICE: In re the Application of: Examiner: D. Vargas Haner et al. Art Unit: 2859 Serial No.: 10/658,580 I, Debbie Kus, hereby certify that on June 22, 2005, this corresponde is being transmitted by facsimile to 1.703.872.9306 at the US Patent Filed: September 9, 2003 and Trademark Office. RADIALLY-COMPACT NMR FLOW CELL ASSEMBLIES AND Signature: Date Signed **METHOD\$** Commissioner for Patents Centralized Facsimile No. 1.703.872.9306 AMENDMENT UNDER 37 C.F.R. §1.111 Sir: In response to the Office Action mailed March 22, 2005, please amend the subject application as indicated below: BEST AVAILABLE COPY

1.